



VISION DIRECT LABS LLC

89 Auburn Street
Suite 1007
Portland,
ME 04103
USA
email: testlab@vdirectlabs.com
web: www.vdirectlabs.com

ANALYSIS CERTIFICATE - CBD 24mg PATCH

PREPARED FOR: Shelleysupply Ltd, Lanyon House, Mission Court, Newport, NP20 2DW

LOT NO.: AXHMP2420210501/1

MANUFACTURED: May 2021

Construction:

<u>Face Sheet:</u>	0.102 mm clear FT-200 polyethylene
<u>Adhesive:</u>	Moderate molecular weight, non-crosslinking, Acrylic co-polymer pressure sensitive adhesive.
<u>Release Liner:</u>	90 gm per square meter Semi-bleached densified kraft.

Active Ingredients: Each patch indicated to contain :
CBD Isolate 24mg

Size of Patch: 38 mm square with rounded corners.

Active Ingredients per Patch: 24.22 mg.

CERTIFICATE OF PATCH COMPOSITION:

The computer controlled systems ensure an even coat weight across the entire film at 35gsm of adhesive coat weight. The calculation we conducted to ensure correct dosing is as follows:

Total coated film area is 333.90m²
Total adhesive used is 11,686.50 grams (333.90m² x 35gsm)

A 38mm x 38mm patch has a surface area of 1444mm², therefore per sqm of film there is 692.5 patches

692.5 Patches per m² x 333.90m² coated = total 231,232 patches coated by area.

CBD Isolate (99.4%) Total Added 5600g Divided by 231,232 patches = 24.22 mg per patch
THC Not Detected By Analysis

We certify that the above mentioned ingredients and amounts listed have been added to the adhesive in the amounts stated and are present in the coated materials. The roll goods were manufactured in May 2021 with an expiration date of 3 years from manufacture of May 2024

Signature: 
Jonathan Bowtell



This information is being supplied on a "CONFIDENTIAL" basis and only intended for use for Registration with the Health Department. Any use of this information for promotional use is prohibited without the written permission from Vision Direct Labs LLC. It is also understood that a copy of any registration granted from any Health Department will be forwarded to Vision Direct Labs LLC