



VISION DIRECT LABS LLC

89 Auburn Street
Suite 1007
Portland,
ME 04103
USA

ANALYSIS CERTIFICATE - CBD50 mg PATCH

PREPARED FOR: Shelleysupply Ltd, Lanyon House, Mission Court, Newport, NP20 2DW

LOT NO.: AX-HMP5020210601/1

MANUFACTURED: June 2021

Construction:

<u>Face Sheet:</u>	0.102 mm clear FT-200 polyethylene
<u>Adhesive:</u>	Moderate molecular weight, non-crosslinking, Acrylic co-polymer pressure sensitive adhesive.
<u>Release Liner:</u>	90 gm per square meter Semi-bleached densified kraft.

Active Ingredients: Each patch indicated to contain :

CBD Isolate	50mg
-------------	------

Size of Patch: 50 mm square with rounded corners.

Active Ingredients per Patch: 49.92 mg.

CERTIFICATE OF PATCH COMPOSITION:

The computer controlled systems ensure an even coat weight across the entire film at 35gsm of adhesive coat weight. The calculation we conducted to ensure correct dosing is as follows:

Total coated film area is 325.50m²
Total adhesive used is 11,392.50 grams (325.50m² x 35gsm)

A 50mm x 50mm patch has a surface area of 2500mm², therefore per sqm of film there is 400 patches

400 Patches per m² x 325.50m² coated = total 130,200 patches coated by area.

CBD Isolate (99.4%)	Total Added 6500g Divided by 130,200 patches = 49.92 mg per patch
THC	Not Detected By Analysis

We certify that the above mentioned ingredients and amounts listed have been added to the adhesive in the amounts stated and are present in the coated materials. The roll goods were manufactured in June 2021 with an expiration date of 3 years from manufacture of June 2024

Signature: 
Jonathan Cortell



This information is being supplied on a "CONFIDENTIAL" basis and only intended for use for Registration with the Health Department. Any use of this information for promotional use is prohibited without the written permission from Vision Direct LLC. It is also understood that a copy of any registration granted from any Health Department will be forwarded to Vision Direct LLC