



VISION DIRECT LABS LLC

89 Auburn Street
Suite 1007
Portland,
ME 04103
USA
email: testlab@vdirectlabs.com
web: www.vdirectlabs.com

ANALYSIS CERTIFICATE - CBD 8mg PATCH

PREPARED FOR: Shelleysupply Ltd, Lanyon House, Mission Court, Newport, NP20 2DW

LOT NO.: HMP8 20210401/2

MANUFACTURED : April 2021

Construction:

<u>Face Sheet:</u>	0.102 mm clear FT-200 polyethylene
<u>Adhesive:</u>	Moderate molecular weight, non-crosslinking, Acrylic co-polymer pressure sensitive adhesive.
<u>Release Liner:</u>	90 gm per square meter Semi-bleached densified kraft.

Active Ingredients: Each patch indicated to contain :
CBD Isolate 8mg

Size of Patch: 32mm square with rounded corners.

Active Ingredients per Patch: 8.001 mg.

CERTIFICATE OF PATCH COMPOSITION:

The computer controlled systems ensure an even coat weight across the entire film at 35gsm of adhesive coat weight. The calculation we conducted to ensure correct dosing is as follows:

Total coated film area is 483m²
Total adhesive used is 16905 grams (483m² x 35gsm)

A 32mm x 32mm patch has a surface area of 1024mm², therefore per sqm of film there is 976.56 patches

976.56 Patches per m² x 3483m² coated = total 471,679 patches coated by area.

CBD Isolate (99.4%) Total Added 3774g Divided by 471,679 patches = 8.001 mg per patch
THC Not Detected By Analysis

We certify that the above mentioned ingredients and amounts listed have been added to the adhesive in the amounts stated and are present in the coated materials. The roll goods were manufactured in **April 2021** with an expiration date of 3 years from manufacture of **April 2024**

Signature: 
Jonathan Cartell



This information is being supplied on a "CONFIDENTIAL" basis and only intended for use for Registration with the Health Department. Any use of this information for promotional use is prohibited without the written permission from Vision Direct Labs LLC. It is also understood that a copy of any registration granted from any Health Department will be forwarded to Vision Direct Labs LLC.